

MATERIAL SAFETY DATA SHEET **HP 2500 Toner - Cyan**

Date of Revision: 28/04/2010
 May be used to comply with OSHA's Hazard Communication Standard 29CFR 1910.1200

SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product/Material Name: HP 2500 Toner - Cyan
Supplier Details: RTS Imaging Pty Ltd
 14 – 24 Cottam Avenue
 BANKSTOWN NSW 2200
 AUSTRALIA

Other Name(s):

Recommended Use: Toner for Laser Printer

The toner is contained within the cartridge which itself is a sealed unit. The toner should never contact the user or the environment when the cartridge is handled in the manner specified.

Emergency Contact:
 Mon – Fri 8.30am-5pm (02) 9793 3900
 After Hours 0419 220 020

SECTION 2 HAZARDS IDENTIFICATION

Classification: Non-Hazardous
Physical State: Particulate / dust

Overview: If these materials are used in a manner that could generate airborne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government Industrial Hygienists (ACGIH) (TLV=10mg/m³). This MSDS is supplied to cover eventualities such as mis-use, fire and accidental damage.

Risk Phrases: R36/37/38 Irritant to eyes, respiratory system and skin.
 (Slight –see below).

Safety Phrases: S22 Do not breathe dust
 S24 Avoid contact with skin
 S25 Avoid contact with eyes.

Potential Health Effects: Refer Section 11, Toxicological Information.

| |
|-------------|
| HMIS |
| H 1 |
| F 1 |
| R O |
| PPE |
| Sec.8 |

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient Name: | CAS NUMBER | % | OSHA PEL | ACGIH TLV | OTHER LIMITS |
|----------------------------|-------------|--------|---|-----------|--------------|
| Styrene-Acrylate Copolymer | Proprietary | 70-90% | Toner is regulated under OSHA as particulate not otherwise regulated: OSHA PEL: 15mg/m ³ 5mg/m ³ for respirable fraction ACGIH TWA: 10mg/m ³ for nuisance particulate | | |
| Silica Amorphous | Proprietary | <5% | | | |
| Pigment | Proprietary | 1-20% | | | |

SECTION 4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Treat any irritation symptomatically. Call a physician if condition persists.

Eye Contact: In case of contact immediately flush with plenty of low pressure water for at least 15 minutes. Remove any contact lenses to ensure thorough flushing.

Skin Contact: Wash well with soap and running water.

Ingestion: After first aid, get appropriate in-plant paramedic or community medical support if serious sign and symptoms persist.

Note to Physicians: None necessary.

Special Precautions/Procedures: None necessary.

Medical Conditions Aggravated by Long Term Exposure: Accumulation of dust in the respiratory system may cause congestion.

| SECTION 5 FIRE FIGHTING MEASURES | |
|--|---|
| Fire and Explosive Properties | |
| <ul style="list-style-type: none"> Flash Point: Flash Point Method: Burning Rate: Auto Ignition Temperature: LEL: UEL: Flammability Classification: Unusual Fire or Explosion Hazard | <p>The toner is a solid and does not flash.</p> <p>Not applicable.</p> <p>Not combustible.</p> <p>For reasons stated above the auto ignition was not determined.</p> <p>Not Applicable.</p> <p>Not Applicable.</p> <p>1 Slight (HMIS, NFPA)</p> <p>May form flammable dust-air mixture.</p> |
| Extinguishing Media: | Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers. |
| Hazardous Combustion Products: | Carbon monoxide, carbon dioxide, nitrogen oxide and smoke Under certain conditions some aliphatic aldehydes and carboxylic acids may form. |
| Precautions for Fire Fighters & Special protective Equipment | |
| <ul style="list-style-type: none"> Fire-Fighting Instructions: Fire-Fighting Equipment: | <p>Do not release runoff from fire control methods to sewers or waterways</p> <p>Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with full facepiece operated in pressure-demand or positive pressure mode.</p> |
| SECTION 6 ACCIDENTAL RELEASE MEASURES | |
| Small Spills: | Scoop into container for disposal. Suction up remaining material with high efficiency vacuum cleaner. |
| Large Spills: | Scoop into container for disposal. Suction up remaining material with high efficiency vacuum cleaner. |
| Containment: | For large spills, avoid suspending particles. Collect for later disposal. Do not release into sewers or waterways. |
| Clean Up: | No special requirements. |
| Regulatory Requirement: | None. |
| SECTION 7 HANDLING AND STORAGE | |
| Handling Precautions: | Keep cartridges sealed at all times until ready for use. Keep away from ignition sources. |
| Storage Requirements: | Store sensibly with other stationery supplies in a dry, cool location. |
| Regulatory Requirements: | None. |
| SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION | |
| Exposure Standards: | Toner is regulated under OSHA as particulate not otherwise regulated. OSHA PEL: 15mg/m ³ for respirable fraction. ACGIH TWA: 10mg/m ³ for nuisance particulate. |
| Biological Limit Value: | None allocated. |
| Engineering Controls | |
| <ul style="list-style-type: none"> Ventilation: Safety Stations: | <p>Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (as above). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.</p> <p>Make emergency eyewash stations and washing facilities available in work area.</p> |
| Personal Protective Equipment (PPE) | |
| <ul style="list-style-type: none"> Administrative Controls: Inhalation: Skin: Eye: Contaminated Equipment Additional Remarks | <p>Seek professional advice prior to respirator selection and use.</p> <p>Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.</p> <p>Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact.</p> <p>Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses.</p> <p>Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment.</p> <p>Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking using the toilet, or applying cosmetics.</p> |

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|--------------------------------|---|--------------------------------|----------------|
| Appearance and Odour: | Cyan, free flowing powder, faint odour. | Water Solubility: | Negligible |
| Odour Threshold: | Not Applicable | Boiling Point: | Not Applicable |
| Vapour Pressure: | Not Applicable | Freezing/Melting Point: | 100 - 150°C |
| Vapour Density (Air=1): | Heavier than air. | Viscosity: | Not Applicable |
| Formula Weight: | Mixture. | Refractive Index: | Not Applicable |
| Density: | Not Applicable | Surface Tension: | Not Applicable |
| Specific Gravity: | 1. | %Volatile: | Nil |
| pH: | Not Applicable | Evaporation Rate: | Not Applicable |

SECTION 10 STABILITY AND REACTIVITY

| | |
|--|--|
| Stability: | This material is an extremely stable mixture of compatible solids. |
| Polymerisation: | Not possible. |
| Chemical Incompatibilities: | None. |
| Conditions to Avoid: | None |
| Hazardous Decomposition Products: | Carbon Monoxide, Carbon Dioxide, Oxides of Nitrogen. |
| Hazardous Reactions: | None. |

SECTION 11 TOXICOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Primary Entry Route: | Inhalation |
| Acute/Chronic Effects: | If these materials are used in a manner that could generate airborne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government Industrial Hygienists (ACGIH) (TLV=10mg/m ³). |
| Inhalation: | Slight irritation of respiratory tract. |
| Eye: | Dust may cause irritation by mechanical abrasion. |
| Skin: | Very slight irritation. |
| Ingestion: | None known. |
| Carcinogenicity: | This material is not considered a carcinogen and is not regulated by OSHA. |
| Long Term Exposure: | Accumulation of dust in the respiratory system may cause congestion. |
| Toxicity Data: | See NIOSH, RTECS for additional toxicity data. |

SECTION 12 ECOLOGICAL INFORMATION

| | |
|----------------------------------|----------------|
| Ecotoxicity: | Not Applicable |
| Persistence/ Degradation: | Not Applicable |
| Soil Absorption/Mobility: | Not Applicable |

SECTION 13 DISPOSAL CONSIDERATIONS

| | |
|---|---|
| Disposal/ Recycling: | Waste material may be incinerated or recycled for its Iron Oxide under conditions that meet all federal, state and local environmental regulations. |
| Containers: | Toner cartridges are recyclable when empty. Any residual toner is reclaimed at the time of re-filling. |
| Special Precautions for Landfill or Incineration | Refer " Hazardous Combustion Products", Section 5. |

SECTION 14 TRANSPORT INFORMATION

| | | | |
|--------------------------------------|----------------|--|---|
| UN Number: | None allocated | Packaging Authorisations: | Quantity Limitations: |
| UN Shipping Name: | None allocated | a. Exceptions: Not Applicable | a. Passenger, Aircraft or Railcar: Not Applicable |
| Class & Subsidiary Risks: | Not Applicable | b. Non-bulk packaging: Not Applicable. | Vessel Stowage Requirements: |
| Packing Group: | Not Applicable | Bulk Packaging: Not Applicable | a. Vessel stowage: Not Applicable |
| Label: | Not Applicable | | Other: Not Applicable |
| Special Precautions: | Not Applicable | | |
| Hazchem Code: | None allocated | | |

| | |
|-------------------|-------------------------------|
| SECTION 15 | REGULATORY INFORMATION |
|-------------------|-------------------------------|

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)
 RCRA Hazardous Waste Classification: (40 CFR 261): Not classified

CERCLA Hazardous Substance

(40 CFR 302.4) listed/unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4);
 CWA, Sec. 307 (a), CAA, Sec.112

CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes: Not Applicable

SARA Toxic Chemical (40 CFR 372.65) Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355)' Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

State Regulations: Check your State regulations that may specifically list copy machine toner.
 All Ingredients are listed on the TSCA inventory

| | |
|-------------------|--------------------------|
| SECTION 16 | OTHER INFORMATION |
|-------------------|--------------------------|

Document addresses requirements of "National Code of Practice for the Preparation of Material Safety Data Sheets, 2nd Ed {NOHSC:2011(2003)}", April 2003.

Date of Issue: 10/04/05

Date of Revision/Re-issue: 28/04/2010 version 2

The information in this document was obtained from sources believed to be reliable. The information herein is provided without any warranty, express or implied, with regard to its correctness. The conditions or methods of handling, storage, use & disposal of the product are beyond our control and may be beyond our knowledge.

For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.