

**MATERIAL SAFETY DATA SHEET** **IBM 4019/29 Toner**

Date of Revision: 08/04/2010  
 May be used to comply with OSHA's Hazard Communication Standard 29CFR 1910.1200

**SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

**Product/Material Name:** IBM 4019/29 Toner  
**Supplier Details:** RTS Imaging Pty Ltd  
 14 – 24 Cottam Avenue  
 BANKSTOWN NSW 2200  
 AUSTRALIA

**Other Name(s):**

**Recommended Use:** Toner for Laser Printer

The toner is contained within the cartridge which itself is a sealed unit. The toner should never contact the user or the environment when the cartridge is handled in the manner specified.

**Emergency Contact:**  
 Mon – Fri 8.30am-5pm (02) 9793 3900  
 After Hours 0419 220 020

**SECTION 2 HAZARDS IDENTIFICATION**

**Classification:** Non-Hazardous  
**Physical State:** Particulate / dust

**Overview:** If these materials are used in a manner that could generate airborne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government Industrial Hygienists (ACGIH) (TLV=10mg/m<sup>3</sup>). This MSDS is supplied to cover eventualities such as mis-use, fire and accidental damage.

**Risk Phrases:** R36/37/38 Irritant to eyes, respiratory system and skin.  
 (Slight –see below).

**Safety Phrases:** S22 Do not breathe dust  
 S24 Avoid contact with skin  
 S25 Avoid contact with eyes.

**Potential Health Effects:** Refer Section 11, Toxicological Information.

<b>HMIS</b>
H 1
F 1
R O
<b>PPE</b>
Sec.8

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient Name:	CAS NUMBER	%	OSHA PEL	ACGIH TLV	OTHER LIMITS
Styrene-Acrylate Copolymer	25767-47-9	N/A			Toner is regulated under OSHA as particulate not otherwise regulated:  OSHA PEL: 15mg/m <sup>3</sup> 5mg/m <sup>3</sup> for respirable fraction  <b>ACGIH TWA:</b> 10mg/m <sup>3</sup> for nuisance particulate
Carbon Black	1333-86-4	N/A			
Iron oxide ( Black pigment )	1309-38-2	N/A			
Silica	7631-86-9	N/A			
Polypropylene	9003-07-0	N/A			

**SECTION 4 FIRST AID MEASURES**

**Inhalation:** Remove to fresh air. Treat any irritation symptomatically. Call a physician if condition persists.

**Eye Contact:** In case of contact immediately flush with plenty of low pressure water for at least 15 minutes. Remove any contact lenses to ensure thorough flushing.

**Skin Contact:** Wash well with soap and running water.

**Ingestion:** After first aid, get appropriate in-plant paramedic or community medical support if serious sign and symptoms persist.

**Note to Physicians:** None necessary.

**Special Precautions/Procedures:** None necessary.

**Medical Conditions Aggravated by Long Term Exposure:** Accumulation of dust in the respiratory system may cause congestion.

<b>SECTION 5 FIRE FIGHTING MEASURES</b>	
<b>Fire and Explosive Properties</b>	
<ul style="list-style-type: none"> <li>Flash Point:</li> <li>Flash Point Method:</li> <li>Burning Rate:</li> <li>Auto Ignition Temperature:</li> <li>LEL:</li> <li>UEL:</li> <li>Flammability Classification:</li> <li>Unusual Fire or Explosion Hazard</li> </ul>	<p>The toner is a solid and does not flash.</p> <p>Not applicable.</p> <p>Not combustible.</p> <p>For reasons stated above the auto ignition was not determined.</p> <p>Not Applicable.</p> <p>Not Applicable.</p> <p>1 Slight ( HMIS, NFPA )</p> <p>May form flammable dust-air mixture.</p>
<p><b>Extinguishing Media:</b></p> <p><b>Hazardous Combustion Products:</b></p> <p><b>Precautions for Fire Fighters &amp; Special protective Equipment</b></p>	<p>Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.</p> <p>Carbon monoxide, carbon dioxide, nitrogen oxide and smoke Under certain conditions some aliphatic aldehydes and carboxylic acids may form.</p>
<ul style="list-style-type: none"> <li>Fire-Fighting Instructions:</li> <li>Fire-Fighting Equipment:</li> </ul>	<p>Do not release runoff from fire control methods to sewers or waterways</p> <p>Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus ( SCBA ) with full facepiece operated in pressure-demand or positive pressure mode.</p>
<b>SECTION 6 ACCIDENTAL RELEASE MEASURES</b>	
<p><b>Small Spills:</b></p> <p><b>Large Spills:</b></p> <p><b>Containment:</b></p> <p><b>Clean Up:</b></p> <p><b>Regulatory Requirement:</b></p>	<p>Scoop into container for disposal. Suction up remaining material with high efficiency vacuum cleaner.</p> <p>Scoop into container for disposal. Suction up remaining material with high efficiency vacuum cleaner.</p> <p>For large spills, avoid suspending particles. Collect for later disposal. Do not release into sewers or waterways.</p> <p>No special requirements.</p> <p>None.</p>
<b>SECTION 7 HANDLING AND STORAGE</b>	
<p><b>Handling Precautions:</b></p> <p><b>Storage Requirements:</b></p> <p><b>Regulatory Requirements:</b></p>	<p>Keep cartridges sealed at all times until ready for use. Keep away from ignition sources.</p> <p>Store sensibly with other stationery supplies in a dry, cool location.</p> <p>None.</p>
<b>SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	
<p><b>Exposure Standards:</b></p> <p><b>Biological Limit Value:</b></p> <p><b>Engineering Controls</b></p> <ul style="list-style-type: none"> <li>Ventilation:</li> <li>Safety Stations:</li> </ul> <p><b>Personal Protective Equipment (PPE)</b></p> <ul style="list-style-type: none"> <li>Administrative Controls:</li> <li>Inhalation:</li> <li>Skin:</li> <li>Eye:</li> <li>Contaminated Equipment</li> <li>Additional Remarks</li> </ul>	<p>Toner is regulated under OSHA as particulate not otherwise regulated.</p> <p>OSHA PEL: 15mg/m<sup>3</sup> for respirable fraction.</p> <p>ACGIH TWA: 10mg/m<sup>3</sup> for nuisance particulate.</p> <p>None allocated.</p> <p>Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (as above). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.</p> <p>Make emergency eyewash stations and washing facilities available in work area.</p> <p>Seek professional advice prior to respirator selection and use.</p> <p>Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.</p> <p>Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact.</p> <p>Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses.</p> <p>Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment.</p> <p>Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking using the toilet, or applying cosmetics.</p>

<b>SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Appearance and Odour:</b>	Black, free flowing powder, odourless.
<b>Odour Threshold:</b>	Not Applicable
<b>Vapour Pressure:</b>	Not Applicable
<b>Vapour Density (Air=1):</b>	Heavier than air.
<b>Formula Weight:</b>	Mixture.
<b>Density:</b>	Not Applicable
<b>Specific Gravity:</b>	1.8
<b>pH:</b>	Not Applicable
<b>Water Solubility:</b>	Negligible
<b>Boiling Point:</b>	Not Applicable
<b>Freezing/Melting Point:</b>	110°C
<b>Viscosity:</b>	Not Applicable
<b>Refractive Index:</b>	Not Applicable
<b>Surface Tension:</b>	Not Applicable
<b>%Volatile:</b>	Nil
<b>Evaporation Rate:</b>	Not Applicable
<b>SECTION 10 STABILITY AND REACTIVITY</b>	
<b>Stability:</b>	This material is an extremely stable mixture of compatible solids.
<b>Polymerisation:</b>	Not possible.
<b>Chemical Incompatibilities:</b>	None.
<b>Conditions to Avoid:</b>	None
<b>Hazardous Decomposition Products:</b>	Carbon Monoxide, Carbon Dioxide, Oxides of Nitrogen.
<b>Hazardous Reactions:</b>	None.
<b>SECTION 11 TOXICOLOGICAL INFORMATION</b>	
<b>Primary Entry Route:</b>	Inhalation
<b>Acute/Chronic Effects:</b>	If these materials are used in a manner that could generate airborne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government Industrial Hygienists (ACGIH) (TLV=10mg/m <sup>3</sup> ).
<b>Inhalation:</b>	Slight irritation of respiratory tract.
<b>Eye:</b>	Dust may cause irritation by mechanical abrasion.
<b>Skin:</b>	Very slight irritation.
<b>Ingestion:</b>	None known.
<b>Carcinogenicity:</b>	This material is not considered a carcinogen and is not regulated by OSHA.
<b>Long Term Exposure:</b>	Accumulation of dust in the respiratory system may cause congestion.
<b>Toxicity Data:</b>	See NIOSH, RTECS for additional toxicity data.
<b>SECTION 12 ECOLOGICAL INFORMATION</b>	
<b>Ecotoxicity:</b>	None
<b>Persistence/ Degradation:</b>	The components of the toner are biodegradable and/or natural to the environment and therefore only minimal degradation is possible.
<b>Soil Absorption/Mobility:</b>	Soil absorption takes place quickly as 50% of the toner composition is Iron Oxide. There is no prospect of leaching to water table in concentrations considered dangerous.
<b>SECTION 13 DISPOSAL CONSIDERATIONS</b>	
<b>Disposal/ Recycling:</b>	Waste material may be incinerated or recycled for its Iron Oxide under conditions that meet all federal, state and local environmental regulations.
<b>Containers:</b>	Toner cartridges are recyclable when empty. Any residual toner is reclaimed at the time of re-filling.
<b>Special Precautions for Landfill or Incineration</b>	Refer " Hazardous Combustion Products", Section 5.
<b>SECTION 14 TRANSPORT INFORMATION</b>	
<b>UN Number:</b>	None allocated
<b>UN Shipping Name:</b>	None allocated
<b>Class &amp; Subsidiary Risks:</b>	Not Applicable
<b>Packing Group:</b>	Not Applicable
<b>Label:</b>	Not Applicable
<b>Special Precautions:</b>	Not Applicable
<b>Hazchem Code:</b>	None allocated
<b>Packaging Authorisations:</b>	<ul style="list-style-type: none"> <li>a. Exceptions: Not Applicable</li> <li>b. Non-bulk packaging: Not Applicable.</li> </ul>
<b>Bulk Packaging:</b>	Not Applicable
<b>Quantity Limitations:</b>	<ul style="list-style-type: none"> <li>a. Passenger, Aircraft or Railcar: Not Applicable</li> </ul>
<b>Vessel Stowage Requirements:</b>	<ul style="list-style-type: none"> <li>a. Vessel stowage: Not Applicable</li> <li>Other: Not Applicable</li> </ul>

<b>SECTION 15</b>	<b>REGULATORY INFORMATION</b>
-------------------	-------------------------------

**EPA Regulations:**

RCRA Hazardous Waste Number: Not listed ( 40 CFR 261.33 )  
 RCRA Hazardous Waste Classification: ( 40 CFR 261 ): Not classified

**CERCLA Hazardous Substance**

(40 CFR 302.4) listed/unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4);  
 CWA, Sec. 307 (a), CAA, Sec.112

CERCLA Reportable Quantity(RQ), Not listed  
 SARA 311/312 Codes: Not Applicable  
 SARA Toxic Chemical ( 40 CFR 372.65 ) Not listed  
 SARA EHS (Extremely Hazardous Substance) (40 CFR 355 )' Not listed, Threshold Planning Quantity (TPQ )

**OSHA Regulations:**

Air Contaminant ( 29 CFR 1910.1000< Table Z-1-A ): Particulates not otherwise regulated.

State Regulations:

Check your State regulations that may specifically list copy machine toner.  
 All Ingredients are listed on the TSCA inventory

<b>SECTION 16</b>	<b>OTHER INFORMATION</b>
-------------------	--------------------------

Document addresses requirements of "National Code of Practice for the Preparation of Material Safety Data Sheets, 2nd Ed {NOHSC:2011(2003)}", April 2003.

Date of Issue: 01/04/05  
 Date of Revision/re-issue: 28/04/2010 version 2

The information in this document was obtained from sources believed to be reliable. The information herein is provided without any warranty, express or implied, with regard to its correctness. The conditions or methods of handling, storage, use & disposal of the product are beyond our control and may be beyond our knowledge.

For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.